ELSEVIER

Journal of Materials Processing Technology 185 (2007) 238

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 185

Abakr, Y.A., 91
Abraham, I., 97
Adiguzel, O., 120
Ahmed, M.I., 91, 97
Amin, A.K.M.N., 91, 97
Arshad, H., 77
Arul, S., 184
Azami, A.R., 166
Azizi, S., 166

Baker, T.N., 38
Behrens, B.-A., 139

Chen, C., 160
Chen, X., 17

Daehndel, H., 139
Dahotre, N.B., 17
Dhande, S.G., 125
Dobrovska, J., 152
Doege, E., 139

Ezugwu, E.O., 60

Ginting, A., 77
Golkularathnam, C.V., 233
Gopalakrishnan, M.V., 233

Hamzah, E., 106
Haron, C.H.C., 77
Heger, J., 152
Hou, Z., 160

Ismail, A.F., 91
Izman, S., 31, 178

Jackson, M.J., 17
Jawahir, I.S., 46

Kavicka, F., 152
Kawata, Y., 173
Khairusshima, N., 97
Khangar, A., 17
Khoei, A.R., 166
Kim, I.-S., 160
Krishnamurthy, R., 204, 228, 233
Kumar, C.R.V., 210
Kuzman, K., 132

Li, C., 160
Li, X.P., 2, 24
Lim, H.S., 2
Liu, K., 24

Malhotra, S.K., 184
Masmiati, N., 198
Mohan, L.V., 191
Mridha, S., 38

Neo, K.S., 2
Noordin, M.Y., 83

Ourdjini, A., 106

Pandey, P.M., 125
Philip, J., 228
Philip, P.K., 198

Rahim, E.A., 72
Rahman, M., 2, 24
Ramamoorthy, B., 210
Ramesh Babu, N., 217
Reinsch, S., 139
Robinson, G.M., 17
Rozario Jegaraj, J.J., 217

Seah, K.H.W., 24
Sekanina, B., 152
Senthil Kumar, A., 2
Sharif, S., 72, 83
Shunmugam, M.S., 191
Specker, A., 139
Stetina, J., 152
Stransky, K., 152
Suardi, K., 106

Tanaka, R., 173
Telkamp, K., 139

Uddin, M.S., 24

Vasa, N.J., 173
Velayudham, A., 204
Venkata Reddy, N., 125
Venkatesh, V.C., 1, 17, 31, 83, 106, 178
Venkitakrishnan, P.V., 228
Vijayaraghavan, L., 184

Wang, X., 46
Wang, Y., 160
Wang, Z.G., 147
Wang, Z.T., 147
Wong, Y.S., 2

Xu, Y., 147
Xu, Y.C., 147

Yang, L.J., 113
Yokoyama, S., 173

Zhang, K., 147
Zhang, S.H., 147

Elsevier B.V.
doi:10.1016/S0924-0136(07)00122-7

ELSEVIER

Journal of Materials Processing Technology 185 (2007) 238

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 185

Abakr, Y.A., 91
Abraham, I., 97
Adiguzel, O., 120
Ahmed, M.I., 91, 97
Amin, A.K.M.N., 91, 97
Arshad, H., 77
Arul, S., 184
Azami, A.R., 166
Azizi, S., 166

Baker, T.N., 38
Behrens, B.-A., 139

Chen, C., 160
Chen, X., 17

Daehndel, H., 139
Dahotre, N.B., 17
Dhande, S.G., 125
Dobrovska, J., 152
Doege, E., 139

Ezugwu, E.O., 60

Ginting, A., 77
Golkularathnam, C.V., 233
Gopalakrishnan, M.V., 233

Hamzah, E., 106
Haron, C.H.C., 77
Heger, J., 152
Hou, Z., 160

Ismail, A.F., 91
Izman, S., 31, 178

Jackson, M.J., 17
Jawahir, I.S., 46

Kavicka, F., 152
Kawata, Y., 173
Khairusshima, N., 97
Khangar, A., 17
Khoei, A.R., 166
Kim, I.-S., 160
Krishnamurthy, R., 204, 228, 233
Kumar, C.R.V., 210
Kuzman, K., 132

Li, C., 160
Li, X.P., 2, 24
Lim, H.S., 2
Liu, K., 24

Malhotra, S.K., 184
Masmiati, N., 198
Mohan, L.V., 191
Mridha, S., 38

Neo, K.S., 2
Noordin, M.Y., 83

Ourdjini, A., 106

Pandey, P.M., 125
Philip, J., 228
Philip, P.K., 198

Rahim, E.A., 72
Rahman, M., 2, 24
Ramamoorthy, B., 210
Ramesh Babu, N., 217
Reinsch, S., 139
Robinson, G.M., 17
Rozario Jegaraj, J.J., 217

Seah, K.H.W., 24
Sekanina, B., 152
Senthil Kumar, A., 2
Sharif, S., 72, 83
Shunmugam, M.S., 191
Specker, A., 139
Stetina, J., 152
Stransky, K., 152
Suardi, K., 106

Tanaka, R., 173
Telkamp, K., 139

Uddin, M.S., 24

Vasa, N.J., 173
Velayudham, A., 204
Venkata Reddy, N., 125
Venkatesh, V.C., 1, 17, 31, 83, 106, 178
Venkitakrishnan, P.V., 228
Vijayaraghavan, L., 184

Wang, X., 46
Wang, Y., 160
Wang, Z.G., 147
Wang, Z.T., 147
Wong, Y.S., 2

Xu, Y., 147
Xu, Y.C., 147

Yang, L.J., 113
Yokoyama, S., 173

Zhang, K., 147
Zhang, S.H., 147

Elsevier B.V.
doi:10.1016/S0924-0136(07)00122-7

ELSEVIER

Journal of Materials Processing Technology 185 (2007) 239–242

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 185

Abrasion and attrition wear mechanisms
Improvements in the machining of aero-engine alloys using self-propelled rotary tooling technique, 60
Abrasive waterjet cutting
A soft computing approach for controlling the quality of cut with abrasive waterjet cutting system experiencing orifice and focusing tube wear, 217
Accuracy
Comments on the cold metal forming processes stability control, 132
Acoustic emission
Online monitoring of acoustic emission for quality control in drilling of polymeric composites, 184
Adaptive slicing
Part deposition orientation studies in layered manufacturing, 125
Aerospace materials
Laser cleaning and dressing of vitrified grinding wheels, 17
Analysis of variance
A soft computing approach for controlling the quality of cut with abrasive waterjet cutting system experiencing orifice and focusing tube wear, 217
ASSAB 760
The effect of specimen thickness on the hardness of plasma surface hardened ASSAB 760 steel specimens, 113
AT40 composite
Rolling contact fatigue studies on spray formed ceramics composite rolling elements, 233

Binderless diamond grinding wheel
Development of a novel binderless diamond grinding wheel for machining IC chips for failure analysis, 31
Build time
Part deposition orientation studies in layered manufacturing, 125
Bulk forming
Comments on the cold metal forming processes stability control, 132

Cap model
Computational modeling of 3D powder compaction processes, 166
Carbide tool
Performance of coated- and uncoated-carbide tools when drilling titanium alloy—Ti–6Al4V, 72
Chatter
Influence of preheating on performance of circular carbide inserts in end milling of carbon steel, 97
Chemical milling
An assessment of stresses in thin walled welded tubes through hole drilling and sectioning methods, 228
Chipping and fatigue wear
Improvements in the machining of aero-engine alloys using self-propelled rotary tooling technique, 60
Circular inserts
Influence of preheating on performance of circular carbide inserts in end milling of carbon steel, 97
Coated tools
Performance of coated tools during hard turning under minimum fluid application, 210
Cold forming
Comments on the cold metal forming processes stability control, 132
Computer simulation
Simulation of whirling process and tool profiling for machining of worms, 191
Concasting
The optimization of a concasting technology by two numerical models, 152
Contact pressure
Finite element analysis for the mechanical features of resistance spot welding process, 160
Cooling rate
The effect of specimen thickness on the hardness of plasma surface hardened ASSAB 760 steel specimens, 113
Crankshaft
Precision forging processes for high-duty automotive components, 139
Cryogenic machining
Effectiveness of cryogenic machining with modified tool holder, 91
Crystal orientation
Performance of single crystal diamond tools in ductile mode cutting of silicon, 24
Cutting tools
Development of hybrid predictive models and optimization techniques for machining operations, 46
CVD
Performance of alloyed uncoated and CVD-coated carbide tools in dry milling of titanium alloy Ti-6242S, 77

3D simulation
Computational modeling of 3D powder compaction processes, 166
Deep drawing
Comments on the cold metal forming processes stability control, 132
Deformation
Finite element analysis for the mechanical features of resistance spot welding process, 160
Delamination
Effect of point geometry and their influence on thrust and delamination in drilling of polymeric composites, 204
Delamination factor
Effect of point geometry and their influence on thrust and delamination in drilling of polymeric composites, 204
Dendrite
Incorporation of 3 μm SiC_p into Titanium surfaces using a 2.8 kW laser beam of 186 and 373 MJ m^{-2} energy densities in a nitrogen environment, 38
Depth of hardened zone
The effect of specimen thickness on the hardness of plasma surface hardened ASSAB 760 steel specimens, 113

Elsevier B.V.
doi:10.1016/S0924-0136(07)00123-9

Diamond grinding
Gelling of chips during vertical surface diamond grinding of BK7 glass, 178
Diffusion coefficient
Effect of heat treatment on the diffusion coefficient of hydrogen absorption in gamma-titanium aluminide, 106
Drilling
Performance of coated- and uncoated-carbide tools when drilling titanium alloy—Ti–6Al4V, 72
Dry
Performance of alloyed uncoated and CVD-coated carbide tools in dry milling of titanium alloy Ti-6242S, 77
Dry hard turning
Dry turning of tempered martensitic stainless tool steel using coated cermet and coated carbide tools, 83
Ductile mode cutting
Performance of single crystal diamond tools in ductile mode cutting of silicon, 24

Electric field sensor
Development of an electric field sensor based on second harmonic generation with electro-optic materials, 173
Electro discharge machining (EDM)
An assessment of stresses in thin walled welded tubes through hole drilling and sectioning methods, 228
Electrode displacement
Finite element analysis for the mechanical features of resistance spot welding process, 160
Electro-optic materials
Development of an electric field sensor based on second harmonic generation with electro-optic materials, 173
ELID grinding
Tool-based nanofinishing and micromachining, 2
Empirical model
A soft computing approach for controlling the quality of cut with abrasive waterjet cutting system experiencing orifice and focusing tube wear, 217
End milling
Influence of preheating on performance of circular carbide inserts in end milling of carbon steel, 97
Performance of alloyed uncoated and CVD-coated carbide tools in dry milling of titanium alloy Ti-6242S, 77

FE model
Computational modeling of 3D powder compaction processes, 166
Finite element method (FEM)
Finite element analysis for the mechanical features of resistance spot welding process, 160
Finite element model
Development of hybrid predictive models and optimization techniques for machining operations, 46
Flank wear
Online monitoring of acoustic emission for quality control in drilling of polymeric composites, 184
Focusing tube wear
A soft computing approach for controlling the quality of cut with abrasive waterjet cutting system experiencing orifice and focusing tube wear, 217
Forming temperature
Deep-drawing of magnesium alloy sheets at warm temperatures, 147

Gearwheel
Precision forging processes for high-duty automotive components, 139
Gelling chips
Gelling of chips during vertical surface diamond grinding of BK7 glass, 178
Grinding
Laser cleaning and dressing of vitrified grinding wheels, 17

Hard turning
Performance of coated tools during hard turning under minimum fluid application, 210
Hardness
Incorporation of 3 μm SiC_p into Titanium surfaces using a 2.8 kW laser beam of 186 and 373 MJ m^{-2} energy densities in a nitrogen environment, 38
Heat affected zone
The effect of specimen thickness on the hardness of plasma surface hardened ASSAB 760 steel specimens, 113
Heat transfer
Effectiveness of cryogenic machining with modified tool holder, 91
Heterogenity
The optimization of a concasting technology by two numerical models, 152
Hexagonal distortion
Smart materials and the influence of atom sizes on martensite microstructures in copper-based shape memory alloys, 120
Higher metal removal rates
Improvements in the machining of aero-engine alloys using self-propelled rotary tooling technique, 60
High-speed jig grinding
Gelling of chips during vertical surface diamond grinding of BK7 glass, 178
Hole drilling method
An assessment of stresses in thin walled welded tubes through hole drilling and sectioning methods, 228
Hole quality
Investigations on laser percussion drilling of some thermoplastic polymers, 198
Hole shrinkage
Online monitoring of acoustic emission for quality control in drilling of polymeric composites, 184
Hybrid machining
Tool-based nanofinishing and micromachining, 2
Hydride
Effect of heat treatment on the diffusion coefficient of hydrogen absorption in gamma-titanium aluminide, 106
Hydrogen attack
Effect of heat treatment on the diffusion coefficient of hydrogen absorption in gamma-titanium aluminide, 106

IC chips
Development of a novel binderless diamond grinding wheel for machining IC chips for failure analysis, 31
Improved surface finish
Improvements in the machining of aero-engine alloys using self-propelled rotary tooling technique, 60
Incremental method
An assessment of stresses in thin walled welded tubes through hole drilling and sectioning methods, 228
Infra-red optics
Development of a novel binderless diamond grinding wheel for machining IC chips for failure analysis, 31

Laser drilling
Investigations on laser percussion drilling of some thermoplastic polymers, 198
Laser materials processing
Laser cleaning and dressing of vitrified grinding wheels, 17
Laser processing
Incorporation of 3 μm SiC_p into Titanium surfaces using a 2.8 kW laser beam of 186 and 373 MJ m^{-2} energy densities in a nitrogen environment, 38

Lath martensite
The effect of specimen thickness on the hardness of plasma surface hardened ASSAB 760 steel specimens, 113
Layered manufacturing
Part deposition orientation studies in layered manufacturing, 125
Limit drawing ratio
Deep-drawing of magnesium alloy sheets at warm temperatures, 147
Liquid lubricant
Deep-drawing of magnesium alloy sheets at warm temperatures, 147
Liquid nitrogen
Effectiveness of cryogenic machining with modified tool holder, 91
Low flank wear rate
Improvements in the machining of aero-engine alloys using self-propelled rotary tooling technique, 60

Machinability
Improvements in the machining of aero-engine alloys using self-propelled rotary tooling technique, 60
Influence of preheating on performance of circular carbide inserts in end milling of carbon steel, 97
Machining performance
Development of hybrid predictive models and optimization techniques for machining operations, 46
Magnesium alloy
Deep-drawing of magnesium alloy sheets at warm temperatures, 147
Martensite
Smart materials and the influence of atom sizes on martensite microstructures in copper-based shape memory alloys, 120
Melt pool
Incorporation of 3 μm SiC_p into Titanium surfaces using a 2.8 kW laser beam of 186 and 373 MJ m^{-2} energy densities in a nitrogen environment, 38
Micro-EDM
Tool-based nanofinishing and micromachining, 2
Micro-turning
Tool-based nanofinishing and micromachining, 2
Minimal fluid application
Performance of coated tools during hard turning under minimum fluid application, 210
MMC layer
Incorporation of 3 μm SiC_p into Titanium surfaces using a 2.8 kW laser beam of 186 and 373 MJ m^{-2} energy densities in a nitrogen environment, 38
Model
The optimization of a concasting technology by two numerical models, 152
Modeling
Development of hybrid predictive models and optimization techniques for machining operations, 46

Neuro-fuzzy model
A soft computing approach for controlling the quality of cut with abrasive waterjet cutting system experiencing orifice and focusing tube wear, 217
Nickel alloy
Improvements in the machining of aero-engine alloys using self-propelled rotary tooling technique, 60

Optical glass
Development of a novel binderless diamond grinding wheel for machining IC chips for failure analysis, 31
Optical sensor
Development of an electric field sensor based on second harmonic generation with electro-optic materials, 173
Optimization
Development of hybrid predictive models and optimization techniques for machining operations, 46
The optimization of a concasting technology by two numerical models, 152
Ordered structures
Smart materials and the influence of atom sizes on martensite microstructures in copper-based shape memory alloys, 120
Orifice wear
A soft computing approach for controlling the quality of cut with abrasive waterjet cutting system experiencing orifice and focusing tube wear, 217

Part deposition orientation
Part deposition orientation studies in layered manufacturing, 125
β-Phase alloys
Smart materials and the influence of atom sizes on martensite microstructures in copper-based shape memory alloys, 120
Plasma surface hardening
The effect of specimen thickness on the hardness of plasma surface hardened ASSAB 760 steel specimens, 113
Plasticity theory
Computational modeling of 3D powder compaction processes, 166
Porosity
Rolling contact fatigue studies on spray formed ceramics composite rolling elements, 233
Post-heat treatment
Rolling contact fatigue studies on spray formed ceramics composite rolling elements, 233
Powder compaction
Computational modeling of 3D powder compaction processes, 166
Precision forging
Precision forging processes for high-duty automotive components, 139
Preheating
Influence of preheating on performance of circular carbide inserts in end milling of carbon steel, 97
Process stability
Comments on the cold metal forming processes stability control, 132
Production process
Precision forging processes for high-duty automotive components, 139

Residual stress
An assessment of stresses in thin walled welded tubes through hole drilling and sectioning methods, 228
Resistance spot welding (RSW)
Finite element analysis for the mechanical features of resistance spot welding process, 160
Rotary cutting
Improvements in the machining of aero-engine alloys using self-propelled rotary tooling technique, 60
Round inserts
Improvements in the machining of aero-engine alloys using self-propelled rotary tooling technique, 60

Second-harmonic generation
Development of an electric field sensor based on second harmonic generation with electro-optic materials, 173
Shape memory effect
Smart materials and the influence of atom sizes on martensite microstructures in copper-based shape memory alloys, 120
Silicon
Performance of single crystal diamond tools in ductile mode cutting of silicon, 24
Silicon die and chip packaging grinding
Development of a novel binderless diamond grinding wheel for machining IC chips for failure analysis, 31
Single crystal diamond
Performance of single crystal diamond tools in ductile mode cutting of silicon, 24

Slip-line model
Development of hybrid predictive models and optimization techniques for machining operations, 46
Smart materials
Smart materials and the influence of atom sizes on martensite microstructures in copper-based shape memory alloys, 120
Spray forming
Rolling contact fatigue studies on spray formed ceramics composite rolling elements, 233
Stalling marks
Gelling of chips during vertical surface diamond grinding of BK7 glass, 178
Support structures
Part deposition orientation studies in layered manufacturing, 125
Surface finish
Performance of coated- and uncoated-carbide tools when drilling titanium alloy—Ti–6Al4V, 72
Surface roughness
Part deposition orientation studies in layered manufacturing, 125

Taguchi method
The effect of specimen thickness on the hardness of plasma surface hardened ASSAB 760 steel specimens, 113
Taguchi's design of experiments
A soft computing approach for controlling the quality of cut with abrasive waterjet cutting system experiencing orifice and focusing tube wear, 217
Taylor
Performance of alloyed uncoated and CVD-coated carbide tools in dry milling of titanium alloy Ti-6242S, 77
Temperature field
The optimization of a concasting technology by two numerical models, 152
Tempered martensitic stainless tool steel
Dry turning of tempered martensitic stainless tool steel using coated cermet and coated carbide tools, 83
Thermo-elastic–plastic model
Finite element analysis for the mechanical features of resistance spot welding process, 160
Thermoplastic polymers
Investigations on laser percussion drilling of some thermoplastic polymers, 198
Thrust
Effect of point geometry and their influence on thrust and delamination in drilling of polymeric composites, 204
Thrust force
Online monitoring of acoustic emission for quality control in drilling of polymeric composites, 184
(TiC + Ti/CN + /TiN)
Performance of alloyed uncoated and CVD-coated carbide tools in dry milling of titanium alloy Ti-6242S, 77
Titanium
Incorporation of 3 μm SiC_p into Titanium surfaces using a 2.8 kW laser beam of 186 and 373 MJ m^{-2} energy densities in a nitrogen environment, 38
Titanium alloy
Improvements in the machining of aero-engine alloys using self-propelled rotary tooling technique, 60
Performance of coated- and uncoated-carbide tools when drilling titanium alloy—Ti–6Al4V, 72
Titanium aluminide
Effect of heat treatment on the diffusion coefficient of hydrogen absorption in gamma-titanium aluminide, 106
Tool failure mode
Dry turning of tempered martensitic stainless tool steel using coated cermet and coated carbide tools, 83
Tool life
Performance of coated- and uncoated-carbide tools when drilling titanium alloy—Ti–6Al4V, 72
Dry turning of tempered martensitic stainless tool steel using coated cermet and coated carbide tools, 83
Tool profile
Simulation of whirling process and tool profiling for machining of worms, 191
Tool steels
Laser cleaning and dressing of vitrified grinding wheels, 17
Tool wear
Performance of single crystal diamond tools in ductile mode cutting of silicon, 24
Effectiveness of cryogenic machining with modified tool holder, 91
Tool-based machining
Tool-based nanofinishing and micromachining, 2
Tripod geometry
Effect of point geometry and their influence on thrust and delamination in drilling of polymeric composites, 204
Turning
Effectiveness of cryogenic machining with modified tool holder, 91

Ultrasonic 'C' scan
Effect of point geometry and their influence on thrust and delamination in drilling of polymeric composites, 204

Vitrified grinding wheels
Laser cleaning and dressing of vitrified grinding wheels, 17

Warm deep drawing
Deep-drawing of magnesium alloy sheets at warm temperatures, 147
Wear
Rolling contact fatigue studies on spray formed ceramics composite rolling elements, 233
Wear mechanism
Dry turning of tempered martensitic stainless tool steel using coated cermet and coated carbide tools, 83
Whirling process
Simulation of whirling process and tool profiling for machining of worms, 191
Worm surface
Simulation of whirling process and tool profiling for machining of worms, 191
(W–Ti/Ta/Nb)C–Co
Performance of alloyed uncoated and CVD-coated carbide tools in dry milling of titanium alloy Ti-6242S, 77

Zero velocity tracks
Gelling of chips during vertical surface diamond grinding of BK7 glass, 178